Warm-up

Find the inverse.

1. $y = 2x - 3$

$(0, -3)$

$x = 2y - 3$

$x + 3 = 2y$

$\frac{x+3}{2} = y$

$(-3, 0)$

2. $y = \sqrt[3]{2x}$

$x = \sqrt[3]{2y}$

$x^3 = 2y$

$\frac{x^3}{2} = y$

10-2 Logarithms and Logarithmic Functions

$y = 2^x$

$x = 2^y$



Does this graph have an inverse?



Does this graph have an inverse?



$y = 2^x$ $y = \log_2 x$

Inverses of each other

$y = b^x$ $y = \log_b x$

"log base b of x"

What is the inverse?

$y = 10^x$

$y = \log_{10} x$

Characteristics of a Logarithmic Function

1. The function is continuous and one-to-one.
2. The domain is the set of all positive real numbers.
3. The y-axis is an asymptote of the graph.
4. The range is the set of all real numbers.
5. The graph contains the point (1, 0). That is, the x-intercept is 1.

Touch

Suppose b and x are positive, and $b \neq 1$, then, there is a number y such that:

$\log_b x = y$ iff $b^y = x$

(Used to convert between logarithmic and exponential form.)

$\log_2 16 = 4$ $2^4 = 16$

$\log_b x = y$ iff $b^y = x$

Logarithmic Form	Exponential Form
$\log_2 16 = 4$	$2^4 = 16$
$\log_2 8 = 3$	$2^3 = 8$
$\log_2 1 = 0$	$2^0 = 1$
$\log_2 x = y$	$2^y = x$
$\log_b x = y$	$b^y = x$

$\log_b x = y$ iff $b^y = x$

Logarithmic Form	Exponential Form
$\log_{10} 1000 = 3$	$10^3 = 1000$
$\log_{16} 4 = .5$	$16^{\frac{1}{2}} = 4$
$\log_3 27 = 3$	$3^3 = 27$
$\log_9 81 = 2$	$9^2 = 81$
$\log_5 25 = 2$	$5^2 = 25$
$\log_3 243 = 5$	$3^5 = 243$

Evaluate a logarithmic expression.

ex
$\log_2 64 = y$

$2^y = 64$

$2^y = 2^6$

6

ex
$\log_{25} 5 = \frac{1}{2}$

$\log_{25} 5 = y$

$25^y = 5$

$5^{2y} = 5^1$

$y = \frac{1}{2}$

$\frac{1}{2}$

ex
$\log_{10} 0.1$

$\log_{10} \frac{1}{10}$

$\log_{10} 10^{-1} = y$

$10^y = 10^{-1}$

-1

$\log_2 8 = 3$

$\log_2 4 = 2$

$\log_3 9 = 2$

$\log_4 64 = 3$

$\log_5 125 = 3$

$\log_6 36 = 2$

$\log_{10} 100$

$\log_{10} 1000$

Remember:
Two functions are inverses iff
$[f \circ g]\, x = x$ and $[g \circ f]\, x = x$

$[f \circ g](x)$

$b^{\log_b x} = x$

Inverses of each other

$y = b^x$ $y = \log_b x$

$f(x) = b^x$ $g(x) = \log_b x$

$$b^{\log_b x} = x$$

$$\log_b b^x = x$$

Properties of logs

ex
$\log_2 2^5$
5

ex
$\log_4 4^2$
2

ex
$\log_7 49$
2

ex
$3^{\log_3 5}$
5

ex
$8^{\log_8 10}$
10

DO:

1. $\log_{\frac{1}{2}} 32 = y$ $\left(\frac{1}{2}\right)^y = 32$ $y = -5$

2. $\log_9 27 = y$ $9^y = 27$ $3^{2y} = 3^3$ $\frac{3}{2}$

3. $\log_5 125$ 3

4. $\log_8 4$ $\frac{2}{3}$

5. ~~$9^{\log_9 5}$~~ $9^{\log_9 5} = 5$

6. $\log_{\sqrt{3}} 9\sqrt{3} = y$

$\sqrt{3}^{\,y} = 9\sqrt{3}$

$3^{\frac{1}{2}y} = 3^2 3^{\frac{1}{2}}$

$3^{\frac{1}{2}y} = 3^{2\frac{1}{2}}$

$y = 5$

p536
21-31odd
33-44